



The LA437-EU air riveter is dedicated to maintenance applications and light production needs. It is specially designed for ease of use and durability in a convenient easy to use package.

- Aluminum rivet capacity up to 4,75 mm (3/16").
- Rivet stem reservoir.
- Tool delivered with nosepieces: 2,4 mm (3/32"), 3,2 mm (1/8"), 4,0 mm (5/32") and 4,75 mm (3/16")

Specifications at 6,2 bar (90 psi)

Part Number	LA437-EU
Ordering number	01328608
Rivet capacity	3/32 - 3/16 in / 2,4 - 4,75 mm

PERFORMANCE

Traction power	1 940 lb / 8 630 N
Piston stroke	5/8 in / 16 mm

AIR SYSTEM

Air Inlet (NPTF)	1/4 in
Minimum hose size	3/8 in / 10 mm
Air consumption per cycle	0,06 CFM / 1,7 L/min

NOISE & VIBRATION

Sound pressure / power (ISO15744)	89,0 / 100,0 dB(A)
Vibration level / measurement uncertainty (ISO28927)	3,2 / 0,7 m/s ²

WEIGHT & DIMENSIONS

Tool weight	3,53 lb / 1,60 kg
Tool dimensions (L x W x H)	10,0 x 6,2 x 3,0 in / 275 x 160 x 78 mm
Shipping weight	1,8 kg
Shipping dimensions (L x W x H)	11,0 x 6,7 x 3,1 in / 280 x 170 x 80 mm
UPC / EAN code	6 63023 00993 3
Origin	Made in Taiwan





LA437-1D
92966407
Nose piece 2,4 mm (3/32")



LA437-1B
92966423
Nose piece 4,0 mm (5/32")



LA437-35
04200531
Wrench



IB6NMC2
88103015
IBN/IBS Series nipple, 1/4" male thread, 6 mm bore (ISO6150B / MIL-C4109)



Quick Release Couplings
For the complete range, see our accessory catalogue.



10Z4
03875671
Oil, Class 1, no. 10, 0,12 L



LA437-1C
92966415
Nose piece 3,2 mm (1/8")



LA437-1A
92966431
Nose piece 4,75 mm (3/16")



LA437-36
04200549
Wrench



77NMC2
88104070
7N7/7S7 Series nipple, 1/4" male thread, 7,2 mm bore (EURO 7,2 - 7,4)



Filters, regulators, lubricators
For the complete range, see our accessory catalogue.



Lubricants
For the complete range, see our accessory catalogue.